


3-1/2" Ø X 11 GA. SERIES



- Capacity:** Up to 610 lbs. (See chart below)
- Minimum B.F.R.:** 5"
- Maximum B.F.R.:** 90" (Contact Sales if larger B.F.R. required).
- Bearings:** Replaceable
- Construction:** Formed end housing retention c/w press fit bearing
- Restrictions:** Rollers under 7" B.F.R. require a cotted axle

For more information on further roller options or to place an order, contact our Order Desk!

Steel Roller



a

TUBE

Code	Description
VE	3-1/2" Ø x 11 Ga. Natural Finish (STD.)
VK	3-1/2" Ø x 11 Ga. Zinc Plated

b

BEARING

Code	Description
80	Grease packed BG-80 (STD.) c/w housing

c

AXLE

Code	Description
FA	11/16" Hex, Spring Loaded, Natural Finish (STD.)
FF	11/16" Hex, Cotted, Natural Finish
FL	11/16" Hex, D+T (3/8-16 UNC), Natural Finish
FR	11/16" Hex, Spring Loaded, Zinc Plated
FW	11/16" Hex, Cotted, Zinc Plated
GB	11/16" Hex, D+T (3/8-16 UNC), Zinc Plated

d

BETWEEN FRAME RAIL (B.F.R.)

Measurement between the inside of the two frame rails
Eg. For a 14-1/4" B.F.R measurement, enter 014 250

B.F.R (inches)	5	9	15	21	27	33	39	45	51	57	63	69	75	81	87	90
Steel Roller Capacity	610	610	610	610	610	610	610	589	585	576	514	463	420	383	351	337

*interpolate for intermediate B.F.R's